

2017 Lagoon 52F THB 33,000,000



Length Overall	52 ft	Engine	Twin Yanmar 4JH80 (2 x 80 hp) Diesel Engines
Breath Overall	28 ft 3 in	Drive Type	Sail Drive
Draft	4 ft 11 in	Fuel Tank	2 x 500 L
Cabins	4	Water Tank	4 x 250 L
Hull Material	Fiberglass Reinforced Plastic	Holding Tank	73 L
Location	Phuket, Thailand	Builder	Lagoon Catamarans



Specifications

DIMENSIONS:

- L.O.A.: 52 ft (15.84 m)
- Length at Water Line: 50.10 ft (15.27)
- Beam: 28.3 ft (8.6 m)
- Keel draft: 4.11 ft (1.5 m)
- Air draft: 90.9 ft (27.66 m)
- Mast height above waterline: 89.4 ft (27.22 m)
- Light displacement: 26030 kg / 57403 lbs
- Max load displacement: 31600 kg / 68908 lbs
- Max load: 7877 kg / 17366 lbs

CAPACITY:

- Fuel tank: 2x 500 L
- Water tank: 4x 250 L
- Holding tank: 73 L
- Cold tank: 200 L

ENGINES & DRIVE:

- 2x Yanmar 4JH80 80hp common rail, diesel
- Rated output: 58.8 kW / 80 hp
- Rated speed: 3200 rpm
- Drive type: Sail drive
- Engine type: inboard
- Fixed 3 blade propeller
- Raw water filter
- Electric engine throttles and control panel at the helm station

SAILS:

- 1 high roach mainsail in Dacron type double ply with battens
- 1 self-tacking jib in Dacron type double ply on furler with UV protective band

RIGGING:

STANDING RIGGING

- Anodized aluminum mast with track
- Double spreaders rig
- Anodized aluminum boom
- 2 encased cap shrouds
- 2 encased lower shrouds
- 1 jib forestay with manual furler for self-tacking jib
- Adjustable lazy-jacks
- Deck light on the mast

RUNNING RIGGING

- 1 double purchase Spectra mainsail halyard
- 1 Spectra Genoa halyard with tension adjustment track at mast base.
- 1 boom topping lift
- 3 reefing lines
- Genoa sheets
- Mainsheet led back to helm station

MOORING & ANCHORING:

- Composite longitudinal crossbeam with integrated chain run and mooring cleat
- 8 mooring cleats
- 2000W / 12V electrical windlass on the deck, horizontal gypsy (chain 12mm) and corded remote in the anchor locker
- Chain locker located on the starboard side of the windlass

ELECTRICAL:

- Power circuit DC – 12V
- 2 alternators 12V - 80A
- 2 gel start batteries 12V - 48A
- 6 acid service batteries 12V - 140A
- Battery circuit breakers in the cupboard of the starboard companionway
- 12V General distribution panel at the chart table with protection by circuit breaker
- 1 touch screen 4,3" to manage: lighting, battery level, fuel and water gauges, navigation lights

LIGHTING:

- 12V LED exterior lighting
- Wireless lighting control on touch screen at chart table
- LED navigation lights
- 12V LED interior lighting:
 - 12V LED reading light next to bunks
 - LED reading light at chart table – red and white
 - 12V lighting in engine compartment

Specifications

TRANSOM PLATFORM:

- Hot/cold deck shower on starboard transom
- Removable swim ladder with fixe s/s handle in the starboard transom
- The transom platform is easy access from a tender.

AFT COCKPIT:

- Large cockpit usable as a deck saloon, protected by the flybridge
- Cockpit flush-decked with the saloon
- Anti-skid composite cockpit floor
- U-shaped bench to starboard with storage locker
- Polyester cockpit table
- Cupboard on starboard side: storage tray under flap + access to the outside waste bin 20 L / 5 US gal+ storage with front door and shelves (essential equipment)
- Cupboard on port side: storage tray, cup holder and storage with front door
- 1 lounge with storage under the seat
- A direct access from the cockpit to the fly bridge and the side decks for safety

FLYBRIDGE:

- 2 staircases to access from the deck and direct access from the cockpit
- 6-person U-shaped bench seat
- 2 storage lockers under the bench
- 2 teak tables (680x960mm / 2'3"x3'2") with interchangeable pedestals, 2 positions: low, high (telescopic gas pedestal option)
- Seat forward to starboard with storage
- Cup-holders and storage at the front port side of the flybridge
- Helm station with: Central console, Folding steering wheel, Handrail, Compass, Electrical engine controls, Switches for lighting
- The steering pedestal can be locked in 3 positions for a perfect visibility: in the center, to port and to starboard.
- The large optional bimini is equipped with steps and circulation areas.

FORDECK:

- U-shaped seating area
- Storage locker under the portside seat
- 1 deck hatch to access to the technical compartment containing the service batteries
- Trampoline (nylon)
- A large technical compartment is located under the seats at the foredeck.

BOW LOCKERS:

- Access through opening deck hatches LEWMAR T60
- S/S ladder

STANCHIONS AND LIFE LINES:

- Pushpits with flag support
- Stanchions: H 610mm / 24in
- Double lifelines

WINDOWS, OPENINGS AND VENTILATION:

- Sliding door
- Deck hatches:
 - Flush deck hatch T10 (quantity 6)
 - Flush deck hatch T44 (quantity 4)
 - Flush deck hatch T60 (quantity 2)
- Hull portholes
 - Fixed PMMA portholes (quantity 6) with integrated openings

INTERIOR:

- Interior woodwork in Alpi Walnut plywood
- Asburgo laminated floor
- S/S handrail leather covered
- Fabric-covered plywood ceiling panels or fiberglass liners in saloon, cabins and bathrooms
- Fabric-covered plywood on hull liner in cabins
- Standing Headroom:
 - Saloon: 2.15m / 7'1"
 - Cabin: 2.05 m / 6'9"
 - Bathroom: 2.05 m / 6'9"



Specifications

MATTRESSES AND UPHOLSTERY:

- Marine mattresses made of multi-layer alveolar foam with several densities (thickness 130mm)
- Mattresses treatment: anti-microbial, anti-bacterial, non-allergenic, anti-dust mite
- Standard upholstery as indicated on Lagoon sample book
- Synthetic fabrics adapted to marine environment:
 - washable (40°C / 104°F)
 - U.V. resistant
 - water repellent, with anti-stain treatment
- Blackout curtains in the cabins and saloon
- Mosquito screen and blinds for deck hatches

SALOON:

- Sliding door and window with aluminum lock for the access to the cockpit, can be locked open or closed
- Large varnished saloon table exchangeable with the low table from the cockpit (option)
- 6-person L-shaped bench seat to starboard
- Lockers under the bench
- High-level cupboards with storage and shelves
- 4 under floor lockers
- Fabric covered steel mast support strut
- 4 opening hatches on the front windows

CHART TABLE:

- Large instrument console with panel to install the electronics
- Stool and desk with flaps
- Stowage and access for technical equipment

GALLEY:

- U-shaped galley to port
- Corian® Warm Grey countertop
- Spicerack
- Double s/s sink with hot/cold mixer tap
- Storage under the sink
- 1 storage under the countertop with 1 fridge (104L / 17 US gal) and 1 freezer (78L / 21 US gal)
- 1 vertical sliding storage unit with 2 cutlery drawers and 1 high-level drawer

- 4 burner gas stove, base for pans
- Grill oven with s/s inside
- Flap under the oven
- Waste bin integrated in the countertop 50L / 13 US gal
- Pan storage under the countertop
- Unit with storage drawers (dishwasher option)
- High-level cupboards on port side (microwave option)
- 1 cabinet with 3 shelves in the companionway

PORT FORWARD CABIN:

- 1 double bed with lateral access (2.05 x 1.60 m / 6'9"x5'3")
 - 2 bed nightstands with storage
 - 2 under bed drawers
 - 1 cupboard with wardrobe (upper part) and shelves (lower part) – outboard side
 - Bookshelves on 2 levels
 - 2 opening deck hatches
 - 1 fixed hull window in PMMA black silkscreen printing 910x423mm / 3'x1'5" with 1 integrated opening porthole
 - Private bathroom with door for direct access to the bathroom with full-length mirror on the cabin side
 - Synthetic resin countertop (WHITE) and sink
 - Hot/cold mixer tap
 - 2 high-level cupboards 2 doors with mirror
 - Anti-skid composite floor
 - Separate shower with tempered glass door
 - Composite shower duckboard
 - Storage in the composite block of the shower
 - Fresh water manual toilet, large size
- 1 opening deck hatch

PORT AFT CABIN:

- Access from the transom and cockpit through a gull-wing door with lock and handrail
- 1 double bed with lateral access (2.05 x 1.60 m / 6'9"x5'3")
- 2 bed nightstands, one with storage
- 1 under bed drawer



Specifications

- Full high cupboard in 2 sections:
 - Upper part: 2 wardrobes + shelves
 - Lower part: shelves
 - Desk with flap
 - 3 drawers under the desk
 - Desk height countertop along outboard hull
 - Bookshelves on 2 levels
 - 1 low cupboard with shelves
 - 1 opening porthole
 - 2 opening deck hatches
 - 1 fixed hull window in PMMA black silkscreen printing 910x423mm / 3'x1'5' with 1 integrated opening porthole
 - Private bathroom with door for direct access with full high mirror on the cabin side
 - Synthetic resin countertop (WHITE) and sink
 - Hot/cold mixer tap
 - 2 high-level cupboards 2 mirrored doors
 - Shelves with s/s lining
 - Anti-skid composite floor
 - Separate shower with tempered glass door
 - Composite shower duckboard
 - Storage in the composite block of the shower
 - Fresh water manual toilet, large size
 - 1 opening deck hatch
- STARBOARD FORWARD CABIN:**
- 1 double bed with lateral access (2.05 x 1.60 m / 6'9"x5'3")
 - 2 bed nightstands
 - 2 under bed drawers
 - 1 bookshelf and 3 low cupboards at outboard side.
 - 2 cupboards in front of the bed
 - 1 opening deck hatch
 - 1 fixed hull window in PMMA black silkscreen printing 910x423mm / 3'x1'5' with 1 integrated opening porthole
 - Private bathroom with door for direct access to the bathroom with full-length mirror on the cabin side
 - Synthetic resin countertop (WHITE) and sink
 - Hot/cold mixer tap
 - 2 tall cupboards 2 mirrored doors
- High cupboard 2 mirrored doors
 - Low cupboard 2 doors and shelves
 - Anti-skid composite floor
 - Fresh water manual toilet, large size
 - Separate shower with tempered glass door
 - Composite shower duckboard
 - Storage in the composite block of the shower
 - 1 opening deck hatch
- STARBOARD AFT CABIN:**
- 1 double bed with lateral access (2.05 x 1.60 m / 6'9"x5'3")
 - 2 bed nightstands with storage
 - 2 x 2 under bed drawers
 - Desk, seat and shelf at outboard side.
 - High-level cupboard, central shelf, drawer + double door cupboard + low countertop, double wardrobe + 1 shelf at inboard side
 - 2 opening deck hatches
 - 1 fixed hull window in PMMA black silkscreen printing 910x423mm / 3'x1'5' with 1 integrated opening porthole
 - Private bathroom opening to the cabin
 - Synthetic resin countertop (WHITE) and sink
 - Hot/cold mixer tap
 - High cupboard 2 doors with mirror
 - Low cupboard 2 doors and shelves
 - 1 towel holder
 - Separate shower with tempered glass door
 - Composite shower duckboard
 - Storage in the composite block of the shower
 - Large window with opening porthole integrated on the back
 - Separate toilet with fresh water manual toilet, large size, synthetic resin sink, hot/cold mixer tap, shelf, low cupboard with towel holder, opening deck hatch

This document is not contractual. Any information provided by the company on their website, brochure and any other related documentation is provided in good faith and offered for information purposed only and the company do not make any representation, warrant or assume any legal liability or responsibility whatsoever, express or implied, for the accuracy, adequacy, validity, reliability, availability, completeness or usefulness of any information and/or images displayed. Yacht inventory, sales and / or charter prices, and any other specifications are subject to changes at any time without prior notice. None of the text and/or image used in this brochure may be reproduced without written consent from the company.

LAGOON 52F 2017



Main deck



Cabins deck



Exterior



Exterior



Exterior



Exterior



Aft Platform



Aft Platform



Aft Platform



Aft Platform



Aft Cockpit



Aft Cockpit



Aft Cockpit



Aft Cockpit



Aft Cockpit



Aft Cockpit



Aft Cockpit



Aft Cockpit



Aft Cockpit



Aft Cockpit



Saloon



Saloon



Saloon



Saloon



Saloon



Saloon



Galley



Galley



Port Forward Cabin



Port Forward Cabin



Port Forward Cabin



Port Forward Cabin



Flybridge



Flybridge



Flybridge



Flybridge



Flybridge



Flybridge




Port Engine Room



Port Engine Room



Starboard Engine Room



Starboard Engine Room