



## 2011 Princess 78MY

**US\$1,700,000**



*\*Sister ship*

|                            |                                              |                |               |
|----------------------------|----------------------------------------------|----------------|---------------|
| Location                   | Phuket, Thailand                             | Builder:       | Princess 78MY |
| Length Overall             | 24.61 meters                                 | Breath Overall | 5m 72cm       |
| Fuel tank/Fresh Water Tank | 15,141/1,514 liters                          | Generator      | Kohler        |
| Engine/ Engine Hours       | Caterpillar Cat C32a x 2/<br>970 & 976 hours | Drive Type     | Inboard       |
| Cruising speed             | 24 Knots                                     | Max speed      | 30 Knots      |
| Cabins                     | 4                                            | Draft          | 1.73 meters   |

**PEN MARINE SDN BHD** (Co. No. 23640 X)  
3A-1-12 Straits Quay, Seri Tanjung Pinang,  
Tanjung Tokong, 10470 Pulau Pinang, Malaysia

Email: [info@penmarine.com](mailto:info@penmarine.com)  
Tel: 6019 488 1188/6019 403 3388  
Fax: 604 263 2425



### Description

The Princess 78MY is a truly magnificent motoryacht from the Princess Yachts "MY" range. Among the luxury boat for sale in Thailand, and beyond, the Princess 78MY offers an unrivalled level of renown Princess seakeeping ability, combined with uncompromising build quality and contemporary elegance and luxurious amenities throughout. With long range capability, she is as much as true performance motoryacht as she is a ultra luxurious home. With excellent layout which maximises owner's privacy and ability to both relax and entertain and socialise in style, she epitomises the timeless elegance that blend subtle practical design with innovative stylish features throughout.

### Information & Features

#### 2011 Caterpillar CAT C32A (Engine 1)

|            |         |        |         |
|------------|---------|--------|---------|
| Type:      | Inboard | Power: | 1723 hp |
| Fuel Type: | Diesel  |        |         |
| Hours:     | 970     |        |         |

#### 2011 Caterpillar CAT C32A (Engine 2)

|            |         |        |         |
|------------|---------|--------|---------|
| Type:      | Inboard | Power: | 1723 hp |
| Fuel Type: | Diesel  |        |         |
| Hours:     | 976     |        |         |



## Standard Equipment

### DECK FITTINGS

- Teak laid transom platform, cockpit deck, flybridge stairway, step to side decks, side decks and flybridge
- Reversible electric anchor winch with foredeck, main helm and flybridge controls
- Stemhead roller with automatic anchor launch and retrieve
- Self-stowing 50kg Delta anchor with 100m of chain
- Electric twin stern rope mooring winches port and starboard
- Bow rope stowage locker
- Freshwater deck/anchor wash (with both fore and aft deck outlets)
- Coachroof sunbed recess with cushions
- Twin coachroof lockers for storage of fenders, ropes and sunbed cushions
- Foredeck upholstered bench seat
- Stainless steel bow, stern, transom and spring cleats (2 pairs)
- Stainless steel pulpit and guard rails
- Forward coachroof handrails
- Bow fairlead
- Canopy handrails
- White PVC high impact rubbing band with stainless steel insert
- Full set IMCO navigation lights
- Riding light
- Dual station remote control searchlight
- Twin electric horns
- Fuel and water fillers
- Telephone connection point
- Flybridge crane (safe working load 420kg)
- Life raft locker
- Stern docking lights

### AFT COCKPIT

- Self-draining
- Upholstered seating
- Deck lighting
- Cockpit cover
- Stainless steel handrails
- Remote control telescopic passerelle (3.8m)
- Storage locker
- Electro-hydraulic raise/lower transom bathing platform (safe working load 550 Kg), foldaway swimming ladder, hot and cold shower, teak sole and deck light
- Door leading to crew cabin/utility area and engine room area from side deck
- Watertight transom door giving direct access from bathing platform



- Locker housing 240v shore support inlet and shoreline
- Transom stowage compartment

#### FLYBRIDGE

- Dual station instrument controls (see Lower Helm Position)
- Helm position with hydraulically raised instrument console
- Power assisted electro-hydraulic steering with adjustable wheel
- Bilge pump visual and audible warning indicator
- Engine room fire extinguisher warning system
- Chart area
- U-shaped sofa/dinette with additional forward facing seating adjacent to helmsmen seat
- Folding leaf teak table to seat 8
- Bar with sink, barbecue, top loading coolbox, waste bin, storage and optional icemaker
- Large sunbed
- Optional spa bath
- Stereo CD/radio
- Aft access from cockpit via hatch
- Wind deflector screens
- Stainless steel handrails
- Deck-level lighting
- GRP radar arch
- Console and seat covers
- Matched whip aerials for VHF/RT and radio
- Electro-hydraulic crane for tender/wetbike (safe working load 420kg)
- Optional GRP hardtop with electric opening section (or optional folding bimini)

#### LOWER HELM POSITION

- Instrument console with engine instruments and fuel gauges
- Dual station instruments and controls at Flybridge and Lower Helm Position:
- rudder position indicator
- electronic engine controls
- power-assisted hydraulic steering
- bow thruster control
- remote control electric anchor winch
- trim tab controls with indicators
- autopilot
- VHF with DSC R/T with intercom colour radar (with scanner) & GPS/chartplotter (twin displays at lower helm)
- all electronic navigation equipment interfaced with radar and autopilot
- speed and distance log
- echo sounder with alarm
- remote control searchlight



- high-speed compass
- horn button
- Intercom to flybridge
- Automatic foghorn with loud hailer
- Twin leather upholstered helm seats with electric adjustment
- Triple windscreen wipers with windscreen wash
- Bilge pump controls with visual 'pump running' indicators
- 24v and 240v control panels
- Sunscreen (black mesh)
- Clear toughened glass windscreen for unimpaired night vision
- Helmsman's door to starboard side deck

#### **DECK SALOON**

- Large seating area to port with 3 seater sofa outboard, two x 2 seater sofas fore & aft and sofa on starboard side
- Entertainment centre incorporating LCD TV linked to surround-sound system
- Cocktail cabinet with stainless steel refrigerator, bottle and glass storage
- Curtains or blinds to all windows
- Overhead downlighters and pelmet lights
- Stainless steel framed aft cockpit door

#### **DINING AREA**

- Separate dining area (8 chairs), dining table on sliding base, glass partition (with blind) to separate from helm area

#### **GALLEY**

- Granite/marble worktop
- Ceramic 4-ring hob
- Extractor fan
- Combination microwave/conventional oven with grill
- Twin-bowl stainless steel sinks with mixer tap
- Full height fridge/freezer
- Icemaker
- Dishwasher
- Trash compactor
- Overhead and concealed lighting
- Drawers and storage cupboards
- Laid timber floor
- Sliding bar aperture to saloon
- Opening door to port side deck

#### **ACCOMMODATION**

- All cabins feature opening and/or fixed portholes, 240v power points and air conditioning



- All bathrooms feature opening portholes, fresh water Vacuflush toilets with holding tanks and 240v shaver points

#### **OWNER'S STATEROOM**

- Large double bed with drawers below
- Bedside cabinets
- Mirror
- Walk-in wardrobe with additional storage
- Built in safe
- Dressing table with chair
- LCD TV/DVD/radio
- Occasional table with seats fore & aft
- Drawers and lockers
- Overhead and individual berth lights

#### **En-suite shower/WC:**

- Twin washbasins with mixer tap
- Separate shower cubicle with auto shower pump out
- Extractor fan
- Optional bidet
- Mirrors
- Storage lockers

#### **FORWARD STATEROOM**

- Large double bed with drawers below
- Walk in wardrobe with shelves
- Mirror
- Dressing table with storage
- LCD TV/DVD/radio
- Storage lockers
- Overhead and individual berth lights
- Deck hatch with integrated skylight and blind

#### **En-suite shower/WC:**

- Washbasin with mixer tap
- Shower cubicle with automatic pump-out
- Extractor fan
- Mirrors
- Storage lockers

#### **PORT GUEST CABIN**

- Two single beds with drawers below
- Wardrobe with shelves
- Mirror



- Bedside table with storage
- High-level lockers
- Overhead and individual berth lights

**En-suite shower/WC:**

- Washbasin with mixer tap
- Shower cubicle with automatic pumpout
- Extractor fan
- Mirror
- Storage lockers

**STARBOARD GUEST CABIN**

- Large double bed with drawers below (option of two single berths which slide together to form a double as required)
- Bedside tables with storage
- Wardrobe
- Dressing table
- Overhead and individual berth lights
- Wardrobe

**En-suite shower/WC:**

- Washbasin with mixer tap
- Shower cubicle with automatic pump-out
- Extractor fan
- Mirrors
- Storage lockers
- Starboard shower/WC has access door from passageway as well as from cabin

**CREW CABIN**

- Two single berths
- Hanging and storage lockers
- Overhead and individual berth lights
- Access via stairway from cockpit or from transom door via utility room

**Shower/WC:**

- Washbasin with mixer tap
- Shower stall with automatic pump-out
- Extractor fan
- Mirror
- Storage locker

**UTILITY AREA**

- Access from transom hatch or via cockpit stairway
- Storage space, cupboards and lockers
- Washing machine and dryer in passageway



- Vacuum cleaner
- Option of single berth as required
- Optional second two berth crew cabin

#### INTERIOR FINISH

- Furniture finished in a choice of Serotina Cherry or Light Oak with either a satin or high gloss finish. Walnut is available as an option
- Galley in choice of granite or marble
- Bathroom unit worktops and floors in choice of marble or granite
- Choice of upholstery fabrics, carpets and curtains from co-ordinated range
- Laid-timber galley and helm floors

#### POWER AND DRIVE SYSTEMS

- Engine room soundproofed
- High-volume air intakes
- Engine room extractor fan with electronic time delay
- Engine exhaust silencers and watercooled exhausts
- Engine beds integrally moulded with hull for strength and vibration absorption
- Forward and aft engine-room bulkheads integrally bonded
- Engines flexibly mounted
- Automatic fire extinguisher with remote override control
- Automatic and manual bilge pumps
- Engine-room lighting
- Propeller shafts in Marinemet
- 5-bladed propellers in nickel aluminium bronze
- High-speed balanced rudders
- Cathodic protection for sterngear
- Sterngear, engines, fuel tank fillers, etc all electrically bonded
- Power assisted steering system
- Single-lever electronic engine controls
- Bow thruster (240Kgf)
- Freshwater supply point in engine room

#### ELECTRICAL SYSTEM

##### 24 Volt:

- 4 x heavy-duty batteries for engine starting and windlass operation
- 6 x heavy-duty auxiliary batteries
- Engine alternators charge both banks of batteries via automatic switch charging system
- 2 x 80amp battery chargers charge both banks of batteries via an automatic switch charging system
- Battery paralleling system with remote control at helm position
- Remote battery master switches with control switch at main switch panel
- Circuit breakers on all circuits



- 24–12v dropper for certain navigation and radio circuits

#### **220/240 Volt:**

- 27kW diesel generator in own soundproof shield with water-cooled and specially silenced exhaust
- 2 x 63-amp shore support inlets
- Generator/shore support changeover switches
- Polarity check system
- Earth leakage safety trip, circuit breakers on all circuits
- Power points in saloon, galley, all cabins and passageway

#### **FUEL SYSTEM**

- Twin fuel tanks (in NS8 marine grade alloy) with interconnection system giving 1206 gallon (5680 litre) capacity
- Fuel fillers on both side decks
- High-capacity duplex fuel filters/water traps with changeover cocks and visual contamination warning at console
- Remote fuel shut offs in helm locker
- Fuel gauges at upper and lower helm consoles

#### **WATER SYSTEM**

- Water tanks totalling 304 gallons (1,386 litres) including hot water calorifier (40 gallon /182 litre, increasing to 60 gallon/273 litre with optional spa bath)
- Water heated 240v immersion heater
- Automatic water pump with filter
- Main circuit breaker at switch panel
- Water level gauge
- Deck filler
- Freshwater Vacuflush WC system with 100 gallon (455 litres) holding tank, contents gauge and electric overboard discharge with macerator back-up system as well as dockside discharge system
- Holding tank level gauge on main switch panel

#### **FIRE EXTINGUISHERS**

- Automatic/manual override fire extinguishers in engine room with warning system at both helm positions and incorporating engine air vent closure system
- Hand-operated fire extinguishers (8) in master stateroom, forward, port, starboard and crew cabins, galley, utility room and lower helm position
- Separate automatic fire extinguisher fitted in electrical space

#### **BILGE PUMPS**

- Automatic electric bilge pumps (with manual override) in engine room, forward accommodation and aft (7 in all)
- Electric bilge pumps have controls and warning lights at lower helm and warning light with audible alarm at flybridge helm
- Manually operated high capacity bilge pump with valve system and suction points in lazarette, engine room and other accommodation areas

#### **OTHER ITEMS**

- Fenders (8) and warps (4)



- Ensign staff
- First aid kit
- Boathook
- Owner's manual
- Engine & equipment manuals
- Tool kit
- Quilted bedspreads for beds in all cabins (except crew cabin)
- Electric vacuum cleaner
- Cockpit cover
- Flybridge covers
- Emergency porthole cover
- Ship's document case

This document is not contractual. Any information provided by the company on their website, brochure and any other related documentation is provided in good faith and offered for information purposed only and the company do not make any representation, warrant or assume any legal liability or responsibility whatsoever, express or implied, for the accuracy, adequacy, validity, reliability, availability, completeness or usefulness of any information and/or images displayed. Yacht inventory, sales and / or charter prices, and any other specifications are subject to changes at any time without prior notice. None of the text and/or image used in this brochure may be reproduced without written consent from the company.



**PEN MARINE SDN BHD** (Co. No. 23640 X)  
3A-1-12 Straits Quay, Seri Tanjung Pinang,  
Tanjung Tokong, 10470 Pulau Pinang, Malaysia

Email: [info@penmarine.com](mailto:info@penmarine.com)  
Tel: 6019 488 1188/6019 403 3388  
Fax: 604 263 2425



**PEN MARINE SDN BHD** (Co. No. 23640 X)  
3A-1-12 Straits Quay, Seri Tanjung Pinang,  
Tanjung Tokong, 10470 Pulau Pinang, Malaysia

Email: [info@penmarine.com](mailto:info@penmarine.com)  
Tel: 6019 488 1188/6019 403 3388  
Fax: 604 263 2425



**PEN MARINE SDN BHD** (Co. No. 23640 X)  
3A-1-12 Straits Quay, Seri Tanjung Pinang,  
Tanjung Tokong, 10470 Pulau Pinang, Malaysia

Email: [info@penmarine.com](mailto:info@penmarine.com)  
Tel: 6019 488 1188/6019 403 3388  
Fax: 604 263 2425



**PEN MARINE SDN BHD** (Co. No. 23640 X)  
3A-1-12 Straits Quay, Seri Tanjung Pinang,  
Tanjung Tokong, 10470 Pulau Pinang, Malaysia

Email: [info@penmarine.com](mailto:info@penmarine.com)  
Tel: 6019 488 1188/6019 403 3388  
Fax: 604 263 2425



**PEN MARINE SDN BHD** (Co. No. 23640 X)  
3A-1-12 Straits Quay, Seri Tanjung Pinang,  
Tanjung Tokong, 10470 Pulau Pinang, Malaysia

Email: [info@penmarine.com](mailto:info@penmarine.com)  
Tel: 6019 488 1188/6019 403 3388  
Fax: 604 263 2425