

2017 Beneteau Oceanis Yacht 62

EURO 790,000



Specification

Length Overall	19.10 m (62 ft 8 in)	Engine	YANMAR 6BY-160HP
Beam	5.33 m (17 ft 6 in)	Engine Hours	2,020 Hours
Draft	2.97 m (9 ft 9 in)	Drive Type	SHAFT DRIVE
Cabins	4 (3 Guests + 1 Crew)	Fuel Tank	999 [L] - 264 [US GAL]
Hull Material	FIBERGLASS	Water Tank	1,060 [L] - 280 [US GAL]
Location	IZMIR, TURKEY	Builder	BENETEAU



Description

The Beneteau Oceanis Yacht 62 represents the pinnacle of luxury blue-water cruising, combining elegant design, exceptional comfort, and superb sailing performance. Designed by Berret Racoupeau with interiors styled by Pierrangelo Andreani, this yacht delivers a refined living environment with expansive natural light, generous deck spaces, and a smooth, stable sailing experience. Maintained in excellent condition with full-service records, she is a true turn-key cruiser ready for global voyages.

Key Features:

- Elegant Exterior Design with large windows, chined hull, twin rudders
 & balanced sail plan
- Luxurious Interior Layout featuring spacious salon, premium woodwork & superior natural lighting
- Large Sunbathing & Relaxation Areas across cockpit, coachroof & foredeck
- Electric Opening Transom with full-width swim platform & tender garage
- Advanced Rigging & Deck Layout enabling easy handling by a couple

A perfect balance of elegance, comfort, and offshore capability, the Oceanis Yacht 62 is an exceptional choice for sailors seeking a premium cruising experience with timeless Beneteau quality.

Tel: +6012 488 0880



Information & Features

2017 Yanmar 6BY-160 (Engine 1)

Engine Type: Inboard Drive Type: Shaft Drive
Fuel Type: Diesel Power: 160 hp
Engine Hours: 2020 Propeller Type: 3 Blade

Dimensions

 LOA:
 62 ft 7 in
 Min Draft:
 7 ft 7 in

 LWL:
 58 ft 8 in
 Max Draft:
 9 ft 9 in

Beam: 17 ft 6 in

Weights

Dry Weight: 57,542 lb

Sail Areas

Mainsail: 1,001 sqft

Tanks

Fuel: 264 gal Fresh Water: 280 gal

Accommodations

Guest Cabins: 3 Crew Heads: 1

Crew Cabins: 1
Guest Heads: 3

Other

Hull Shape: Monohull Builder: Beneteau

Flag Of Registry: Cayman Islands

Designer: Berret Racoupeau Yacht Design

Tel: +6012 488 0880



Deck Fittings

All the sail trim of the Oceanis 62 is brought back to the helm stations Teak with black caulking

Rigging

- Traditional 9/10ths tapered anodised aluminium mast deck-stepped 3 sets of swept back spreaders, steaming light
- · Folding mast steps
- · Anodised aluminium boom
- · Stainless steel standing rigging
- Single backstay split to bridle (hydraulic option)
- Rigid boom vang (hydraulic option)
- · Genoa furler (electrical option) drum on deck
- · 2 Stand-up blocks for mainsail on fixed composite arch
- 2 Genoa tracks with piston adjusted traveller cars 2 genoa sheet turning blocks
- · Complete running rigging:
- 2:1 Dyneema purchase mainsail halyard
- Dyneema genoa halyard on tensioning rail
- Boom topping lift
- Mainsheet
- 2 Genoa sheets (2 single-line reef 1 dual-line reef)
- 9 Jammers (2 as an option for staysail halyard and spinnaker halyard)
- · 2 Rope tail bags
- Preparation for downwind sail rigging (asymmetrical spinnaker Code 0)

Cockpit

- · Self-draining cockpit, natural solid wood decked
- Liferaft stowage in locker in the cockpit sole
- 2 Lockers in the return of the cockpit seats, gas strut opening
- 1 Locker beside the port helm console
- 1 Gas locker beside the starboard helm console
- · 2 Natural solid wood slatted cockpit benches
- · 2 Helm stations:
- Steering wheels in stainless steel, 1100 mm / 3'7" diameter
- Leather covered
- Steering lock
- Cable transmission system
- Rope tail locker
- Cup holder
- · Deck plates for tiller system Emergency steering
- · Engine throttle and control panel to starboard
- 2 Solid wood cockpit tables with fixed leg (option to convert to sunpad):
- 2 Leaves
- Handrails
- Cup holders under leaves
- · LED lighting under arch & LED lights in cockpit, transom, and forward sun pad
- · PMMA companionway doors & sliding companionway hatch



Aft cockpit

- · Large stowage locker under aft central seat (optional outside galley module) Gas strut opening
- 2 Lifting helms seats for access to the bathing platform steps
- · Shore power socket

Aft transom

- · Access to the sea from electric fully opening transom with gas strut, converting to bathing platform
- · 1 Steps behind each helm station
- · Access to the tender garage
- · Solid wood bathing platform
- 1 Built-in stainless steel bathing ladder
- · 1 Hot and cold cockpit shower

Tender garage

- 1 Access hatch in the cockpit sole between the 2 helm stations for access without opening aft platform
- Tender garage: 3,49 x 1,70 m / 11'5" x 5'7"
- 3 Lights
- · Canvas cover to close tender compartment and textile stowage bags

Tel: +6012 488 0880



Interior

Alpi Moabi satin woodwork

Milano oak laminated floors

Commando natural upholstery with Météor grey piping

Ceiling, hull and bulkheads coated with Météor grey and beige fabric linings

LED lights

Companionway

- · Headroom: 2,08 m / 6'10"
- · Wooden companionway with 6 moulded wood steps
- · Météor grey leather sheathed stainless steel companionway handrails

Port saloon

- Headroom: 2.06 m / 6'9"
- · L-shaped saloon bench seat with armrests
- Central settee with armrests
- · Central unit with built-in bar
- Wooden saloon table (varnished top, 2 fixed aluminium legs)
- · Open storage compartment along the hull Storage space under seats and sofa
- 1 Panoramic skylight with blackout blinds / mosquito nets at the forward
- · 3 Large hull portholes with blackout blinds
- · 1 Fixed coachroof side window with pleated blind
- · 1 Opening porthole in side window
- · Météor grey mast cover, built-in bookshelf, LED strip
- · 3 LED reading lights
- · 11 LED ceiling lights
- 1 LED strip lights under upper lockers
- 1 230 V socket

Chart table (Port side)

- · Opening lid miscellaneous locker storage Moulded wood fiddle with Météor leather sheathed stainless steel railing
- · Swivelling navigator seat
- · Electrical panel with all on-board functions, back-lit
- Navigation instrument panel (optional instruments)
- · 1 coachroof window
- · 2 USB charging sockets
- · 1 LED reading light
- · 3 LED ceiling lights
- 1 230 V socket

Galley

- Headroom: 2,06 m / 6'9"
- · 2 Météor leather sheathed stainless steel handrails
- · Oven / grill / hob with 3 burners on stainless steel Luxe mounting (retractable top and front)
- · Cupboard and drawers for pans and lids
- · Compartmental bins
- Cooler with cooling unit (1 x 300 L 2 openings from the top, 1 front door)
- · Lacquered upper units
- · Corian Deep Mink work top with built-in fiddles

PEN MARINE SDN BHD (Co. No. 23640-X) 3A - 1 - 12 Straits Quay, Seri Tanjung Pinang, Tanjung Tokong, 10470 Pulau Pinang, Malaysia.

info@penmarine.com www.penmarine.com



- Large rectangular stainless steel sink, with hot/cold water mixer tap (2 covers in Corian)
- · 3 Hull portholes with blackout blinds
- 1 Fixed coachroof side window with blind
- 5 LED ceiling lights
- 1 LED strip light under upper lockers
- 2 x 2 Sockets 230V

Technical locker

- · Near the aft starboard cabin entrance
- · Access to all the circuit breakers and electrical panel + generator room
- 3 LED ceiling lights

Starboard area at the bottom of the companionway

· 1 Oilskin locker + shelf with fiddle

Forecabin entrance

- 1 Large storage cupboard, 2 doors (replaced by washer dryer or fridge depending on chosen options)
- 1 Bottle storage under floor
- 1 LED ceiling light



Accommodation

Owner's cabin

- Headroom: 2,11 m / 6'11"
- Central double bed (2,05 x 1,72 m / 6'9" x 5'8" bed head facing forwards) slatted bed base marine mattress (thickness: 120mm / 5")
- Shelving drawers miscellaneous locker 2 drawers under the bed
- · Opening of the bed assisted by gas strut for technical equipment under the bed
- · To starboard: wardrobe, cupboard, shoe cabinet to port: hanging locker
- · Large mirror on entrance bulkhead
- 2 Hull portholes with Roman blackout blinds
- 2 Opening deck hatches with blackout blinds / mosquito nets
- · 4 Fixed coachroof windows with curtains
- Indirect lighting
- 5 LED ceiling lights
- · 2 LED reading lights, 2 bedside lights
- 1 LED strip lights under upper lockers
- 1 Dorade
- · 1 230 V socket, 4 USB ports

A furnishing option may be added against the entrance bulkhead: Sideboard, or Desk with seat, or Sofa.

Forward owner's head compartment

- Headroom: 2,21 m / 7'3"
- · Private head en-suite from forward cabin
- Separate shower: moulded shower tray hot/cold water mixer tap shower screen
- · Teak slatted seat and shower flooring
- Manual toilet
- 1 Basin Work top in Corian Deep Mink hot/cold water mixer tap
- 2 Mirrors
- · Toilet accessories towel rail peg
- · Cupboards shelving
- 1 Opening deck hatch with blackout blind / mosquito net
- 1 Fixed translucent coachroof window
- · 1 Hull port with blackout blind
- · 3 LED ceiling lights
- 1 LED strip light under mirrors
- 1 230 V socket
- 1 Dorade

Port aft cabin

- Headroom: 1,91 m / 6'3"
- 1 Double bed (2,42 x 1,40 m / 7'11" x 4'7") slatted bed base marine mattress (thickness: 120mm / 5")
- · Hanging locker Shelving Drawer under the bed
- 1 Opening porthole into cockpit with blackout curtain
- · 1 Opening porthole to coachroof with blackout blind
- · 3 Hull portholes, 1 with a blackout curtain
- · Light tunnel with 2 fixed windows, stowage compartment, technical access hatch and blackout blind
- 3 LED ceiling lights



- · 2 LED reading lights
- · 1 LED strip light in ceiling
- · 1 230 V socket, 2 USB ports

Aft port head compartment

- Headroom: 2,15 m / 7'1"
- Private heads en-suite from the port side cabin + access through saloon
- · Separate shower: moulded shower tray hot/cold water mixer tap shower screen
- · Teak slatted seat and shower flooring
- Manual toilet
- 1 Washbasin Work top in Corian Deep Mink Hot/cold water mixer tap
- 2 Mirrors
- · Toilet accessories towel rail peg
- · Cupboards shelving
- · 1 Opening coachroof port with blackout blind
- 1 Hull port with blind
- 3 LED ceiling lights
- 1 LED strip light under mirrors
- 1 230 V socket

Starboard aft cabin

- · Headroom: 1,91 m / 6'3"
- 1 Double bed (2,04 x 1,40 m / 6'8" x 4'7") slatted bed base marine mattress (thickness: 120mm / 5")
- · Hanging locker shelving drawer under the bed
- 1 Opening porthole into cockpit with blackout curtain
- · 1 Opening porthole to coachroof with blackout blind
- 3 Hull portholes, 1 with a blackout curtain
- · Light tunnel with 1 fixed windows, stowage compartment, technical access hatch and blackout blind
- 3 LED ceiling lights
- 2 LED reading lights
- · 1 LED strip light in ceiling
- 1 230 V socket, 2 USB ports

Aft starboard head compartment

- Headroom: 2,15 m / 7'1"
- Private head compartment accessible from starboard aft cabin
- Separate shower: moulded shower tray hot/cold water mixer tap shower screen
- Teak slatted seat and shower flooring
- · Tecma electric toilet
- 1 Rigid holding tank (80 L / 21 US Gal)
- 1 Washbasin Work top in Corian Deep Mink Hot/cold water mixer tap
- 2 Mirrors
- · Toilet accessories towel rail peg
- · Cupboards shelving
- 1 Opening coachroof port
- · 1 Hull port with blind
- · 3 LED ceiling lights
- · 1 LED strip light under mirrors
- 1 230 V socket



Bunk cabin

- Headroom: 2,15 m / 7'1"
- · Bunk beds marine mattress
- Shelving
- · Full height hanging locker
- Storage under the floor
- 1 Opening coachroof port with blackout blind
- 1 Hull port with blind
- 3 LED ceiling lights
- 2 LED reading lights
- 1 230 V socket

Tel: +6012 488 0880



Electrical

- 12 V circuit
- · 24 V circuit
- · 230 V circuit
- · Ducts with mouse lines for threading cables of electrics or navigation electronics optional extras
- 1 230 V electrical panel: breaker voltmeter
- 1 24 V electrical panel: breaker voltmeter water gauge fuel gauge 24 v charging current and consumption current measurement
- · Compartment for fitting electrical controls in starboard technical area

12 V circuit (engine start)

- · Standard equipment:
- 1 Engine battery (12 V 140 Amps)
- Battery switch (from the port side aft cabin)
- 1 Battery charger (12 V 25 Amps) in starboard technical area

24 V circuit

- · Standard equipment: electric windlass pumps navigation lights lighting refrigeration units
- 1 Service 24V battery set 280 Amps (12 V 4 x 140 Amperes batteries)
- Battery switch (from the port side aft cabin)
- · Power distributor (24 V) in starboard technical area
- 1 Battery charger (24 V 60 Amps) in starboard technical area

230 V circuit

- · Standard equipment: Sockets 230V water heater
- · Sockets 230V:

Forward cabin x 1, Fore head x 1, Port saloon x 1, Galley x 4, Chart table x 1, Port aft cabin x 1, Aft port head compartment x 1, Starboard aft cabin x 1, Aft starboard head compartment x 1

Lights

- · LED interior lights: overhead lights, reading lights
- · LED courtesy lights: under the companionway steps, in the hanging lockers
- Outside lighting:
- LED: 3 lighting under fixed arch, courtesy light in cockpit
- Standard bulb: deck floodlight at mid mast
- LED navigation lights control from the chart table
- 1 LED all horizon mast head light
- 1 LED mid-mast automatic top light
- 1 LED stern light on aft starboard pulpit



Engine

Engine Yanmar: 160 HP, 6 cylinders, propeller shaft

- Engine electrical control and switchboard at the starboard helm (dual controls on port side option)
- · Bow thruster
- Engine compartment: foam soundproofing: 40mm ventilation: 4 air intakes & 2 air extractors
- 1 Alternator (12 V 150 Amps)
- 1 Alternator (24 V 90 Amps)
- 3 Fuel tanks ($2 \times 230 \text{ L} + 1 \times 540 \text{ L} / 2 \times 61 \text{ US Gal} + 1 \times 143 \text{ US Gal}$) Electronic gauge 3 Deck fillers Tank selection with "1/4 turn" by-pass valves
- Filters: Sea water Diesel Water separator
- 3 feathering blades propeller
- · Access to the engine compartment: Companionway (gas strut opening) & starboard machinery compartment

Tel: +6012 488 0880



Sails

Sails

- · Dacron furling genoa, double thickness with UV protection strip
- · Fully-battened Dacron mainsail with logo, double thickness
- · Lazy Jack and Lazy Bag in Natural colour

Winches

(accessible from each helm station)

- 2 Genoa sheet manual winches (Code 0 / Spinnaker) self tailing 70.2 STC
- 2 Manual manoeuvre winches 46.2 STC
- · 2 Speedgrip winch handles
- 2 Winch handle boxes

Mooring lines - Mooring

- Stainless steel bowsprit with single stem roller, Tack for asymmetrical spinnaker or Code 0
- · Self-draining chain locker
- · Lockable access panel to the chain locker in the sail locker
- 24 V 2 000 W vertical electrical windlass Remote control
- 8 aluminium mooring cleats (400mm / 1'4")

Fore sail locker

- Access through deck hatch (T70), Passage width: 62 cm / 2'
- · Stainless steel ladder
- · Locker fitted with stowage designed for lines, fenders, cushions, sails, etc.
- · Direct access to the anchor well, Panel: T44

Safety on deck

- 1 Stainless steel pulpit in 2 parts, open at the bow (750mm 28 mm diameter)
- · 2 Stainless steel pushpits (750mm 28 mm diameter)
- · 1 Lifebuoys support bracket
- 1 Ensign mount
- Triple guard wires and stainless steel stanchions (Height: 750mm) openings in guardrail to port and starboard
- · 4 Stainless steel handrails on deck:
- 2 on the coachroof
- 2 each side of the forward sun pad
- · 4 Stainless steel handrails on fixed arch



General Arrangement





























PEN MARINE SDN BHD (Co. No. 23640-X) 3A - 1 - 12 Straits Quay, Seri Tanjung Pinang, Tanjung Tokong, 10470 Pulau Pinang, Malaysia.

info@penmarine.com www.penmarine.com















PEN MARINE SDN BHD (Co. No. 23640-X) 3A - 1 - 12 Straits Quay, Seri Tanjung Pinang, Tanjung Tokong, 10470 Pulau Pinang, Malaysia.

info@penmarine.com www.penmarine.com









PEN MARINE SDN BHD (Co. No. 23640-X) 3A - 1 - 12 Straits Quay, Seri Tanjung Pinang, Tanjung Tokong, 10470 Pulau Pinang, Malaysia.

info@penmarine.com www.penmarine.com































PEN MARINE SDN. BHD. IS THE REGISTERED AGENT OF THE LANGKAWI INTERNATIONAL YACHT REGISTRY (LIYR)

New Yacht Registration (Private & Commercial), Entity Registration, Ownership Transfer, Yacht Name Change, Annual Tonnage Renewal, Deletion Certificate



MALAYSIA • THAILAND • SINGAPORE • INDONESIA • CHINA

This document is not contractual. Any information provided by the company on their website, brochure and any other related documentation is provided in good faith and offered for information purposed only and the company do not make any representation, warrant or assume any legal liability or responsibility whatsoever, express or implied, for the accuracy, adequacy, validity, reliability, availability, completeness or usefulness of any information and/or images displayed. Yacht inventory, sales and / or charter prices, and any other specifications are subject to changes at any time without prior notice. None of the text and/or image used in this brochure may be reproduced without written consent from the company.