

2022 Sunreef 50 Sailing

EUR 1,990,000



Length Overall	15.2 M	Engine	2 X 110 HP Sail Drive
Beam	9.1 M	Engine Hours	N/A
Draft	2 M	Drive Type	Sail Drive
Cabins	Owner's Cabin + 3 Guest Cabins + Crew Cabin	Fuel Tank	2 X 750 L
Hull Material	Composite	Water Tank	1 X 800 L
Location	Estepona MARINA, Málaga, Spain	Builder	Sunreef Yachts

FEATURES INCLUDED

Hulls, deck, flybridge and all structural bulkheads constructed of E-glass sandwich laminate with reinforcement by infusion process. Hull outer osmosis protection in vinylester resin

Front terrace with pantograph door access

RIGGING AND SAILS

- Carbon mast and boom
- Lazy jack and lazy bag
- Fully battened mainsail hydranet top square
- Hydranet genoa
- Electric furling system for Genoa
- Gennaker polyester
- Complete gear for Gennaker
- Electric furling system for Gennaker
- Blocks and jammers

MECHANICS

- 2 complete engines 110hp (Yanmar) sail drive
- Folding propellers for engines
- Rope cutters on both propeller shafts
- 2 fuel tanks of 750L each
- 1 engine speed controls (on the flybridge)
- Extra engine instruments including speed control at the navigation table saloon
- Hydraulic steering system
- Manual fire extinguishing system in engine rooms
- Fuel transfer pump
- 1x bow thruster

DECK GEAR

- Transom hydraulic gangway
- Port lights
- 1 swim ladder on the skirts
- 4 electric winches
- Deck light
- Hatch at the top of the stairway between cockpit and flybridge
- Hydraulic platform - 700kg capacity
- Stainless steel bimini on flybridge with fabric cover
- Additional 2x electric aft mooring winch
- Cockpit windshield - transparent canvas for 3 sides

ELECTRICAL SYSTEMS

- AC-230V 50Hz 1PH: main switchboard with panel extension (manual change over shore-generators), 2x charger (24V/100A), inverter (220V/50Hz/3000W), 2x shore power inlet 63A, 3x socket 230V per cabin, 3 in saloon, 3 in dining area and 4 in galley
- DC-25.6V: Main switchboard, 22,4 kWh Lithium batterie bank (25.6 Volts), 2 starting batteries, DC distribution, wiring and one additional 100A charger
- Additional Inverter 230V/50Hz/3000W (only if option 5.1 is taken)
- Additional Charger Skylla 24V/100A (only if option 5.1 is taken)
- Additional Charger for engine starting batteries, one on each side
- 2 alternators 24V, 75A each
- Generator 19kW, 50Hz, 230V
- 2 Outside waterproof sockets on flybridge and in cockpit

LIGHTS

- Interior lighting with LED lamps
- Navigation lights with LED lamps
- Lights in the engine rooms

Exterior lighting

- Spot lights on front terrace deck
- Underlighting of fixed furniture on flybridge - LED stripe, white
- Underlighting of fixed furniture in cockpit - LED stripe, white
- Cockpit ceiling LED stripe surrounding, white
- Skirt's LED stripe instead of spot lights
- 8 Pcs - Underwater lights LED
- Mast LED courtesy lighting

Domotic system for lights, controls, and D/C system, including dimmers for ceiling lights (Domotic system function):

Control:

- Lighting with dimming
- Navigation lights
- Control of discharge pumps of black water

Measurement:

- Tank level monitoring with alarm: fresh water, black water, fuel
- Battery and Victron charger monitoring with alarm: starter/ main batteries bank/ emergency batteries (if installed)
- Measurement of temperature in the engine room

NAVIGATIONS & ELECTRONICS

- Compass (size 135mm)
- Chronometer and barometer

Raymarine electronic pack

- Wind sensor, Speed/Depth/Temp Sensor, GPS, keypad, autopilot controller, Evolution autopilot, Ray90 black box VHF AIS, 2pcs AXIOM 16", search light, fog horn Sensor, GPS, keypad, autopilot controller, Evolution autopilot, Ray90 black box VHF AIS, AXIOM 12" and AXIOM 9", search light, fog horn
- Raymarine AIS System
- Raymarine Radar RD418HD
- Radar guard for radar RD418HD
- Raymarine IP Camera
- Raymarine SmartController Wireless Autopilot Remote Controller
- 4G/LTE Wifi antenna worldwide

PLUMBING

- Fresh water: 1x 800L equipped with level indicators, 1 pressurized pump, 2 water heaters of 80L each
- Black water: 1x 170L, 1 deck filler outlet acc. To ISO8099
- 4 electrical bilge pumps
- 2 manual bilge pumps
- Hand shower on deck
- 1 pressurized fresh water outlet on cockpit (female quick-coupling snap connector)
- Electric toilets 24V in bathrooms with fresh water flush and bidets
- Watermaker 220l/h - 230V
- 1 grey water tank 500L with electric pumps and piping installation
- Sea water pump for washing the deck with 2 pressurized fresh water outlets on cockpit and front terrace (female quick-coupling snap connector)
- Fresh water inlet (connection between the boat's water network and the shore water supply)

COMFORT ON BOARD

- Gas oven
- 4-gas-burner stove
- Refrigerator / freezer 221L (220V) in galley
- Electrically recessed blinds in the saloon, master cabin and nav station (manual in the cabins)
- Manually concealed skyscreen on cabin ceiling hatches
- Air conditioning 105 000 BTU/h TERMODINAMICA
- Widescreen LED TV 43" with installation in saloon
- LED TV 32" with installation (price per cabin)
- Terrestrial TV antenna
- Hi-Fi Pack 1: for saloon or/and outdoor
- Yamaha Home Cinema Receiver 7.2 + 5x ceiling premium speakers + 1x active subwoofer
- 2 waterproof speakers in the cockpit and 2 in the flybridge
- 2 waterproof speakers on the front desk
- Galley appliances package (dishwasher 9 sets, cooker hood, electric oven with microwave function, induction stove)
- Washing machine with dryer with complete installation
- Flybridge cushions set + flybridge mattress (15pcs of decorative pillows)
- Cockpit mattress (8pcs of decorative pillows)
- Flybridge bar module without top hatch
- Sink with retractable faucet for the bar module
- Ice maker for the bar module
- Low fridge for the bar module
- Electric Stainless Steel BBQ
- Installation (incl. cables) of the Intellian V60G & Intellian I6

INTERIOR / EXTERIOR DESIGN

- Furniture and all interior panels made of individually selected paint color
- All upholstery and cushions made of synthetic fabric
- Bathroom walls finished in glossy gelcoat + one wall in sintered quartz
- Anti-skid on the deck
- Cockpit, Front terrace and skirts floor covered with teak
- Deck covered with teak and installed flush hatches
- Flybridge covered with teak

INTERIOR / EXTERIOR DESIGN

- Stainless steel sliding entrance door
- Teak, foldable, manual up/down table on the flybridge
- Cupholders in table on flybridge
- Fishing rod holder

SAFETY EQUIPMENT

- Automatic fire extinguishing system in the engine rooms
- Complete rescue equipment with life-rafts for 12 persons

LAUNCHING

- Antifouling (with Epoxy primer)
- Name and hailing port inscriptions



STEERING SYSTEM

- Rudders constructed of a molded sandwich lamination glass/vinylester
- Rudder stocks are made of aluminum alloy
- Self-aligning lower and top bearings
- GRP steering wheel (diameter 1000mm)
- Hydraulic steering system
- 2 emergency tillers
- Rudder alignment system
- Y-spoke carbon steering wheel 1100mm
- Tecnoseal antifouling system for AC

MOORING & TOOLS

- Windlass DYLAN 1700W, 24V
- 80m chain (diameter 13mm DIN)
- Additional anchor 20kg + 20m galvanized chain (diameter 10mm)
- Upgrade to anchor 66kg CQR
- Windlass upgrade to DYLAN 2000W
- Chain control with chain counter at the windlass

This document is not contractual. Any information provided by the company on their website, brochure and any other related documentation is provided in good faith and offered for information purposed only and the company do not make any representation, warrant or assume any legal liability or responsibility whatsoever, express or implied, for the accuracy, adequacy, validity, reliability, availability, completeness or usefulness of any information and/or images displayed. Yacht inventory, sales and / or charter prices, and any other specifications are subject to changes at any time without prior notice. None of the text and/or image used in this brochure may be reproduced without written consent from the company.









